# 6400 Automatic Isoperibol Calorimeter

#### **SPECIFICATIONS**

Model Number: **6400** 

Tests Per Hour:

6 - 7

Operator Time Per Test:

1 Minute

Precision Classification:

0.1% Class

Jacket Type:

Isoperibol, Water Jacket

Oxygen Fill:

**Automatic** 

Bucket Fill: **Automatic** 

Bomb Wash:

Automatic

Bomb Model Options:

1138, 250mL, Alloy 20 1138CL, 250mL, Alloy G30

Balance Communication: **USB** 

Printer Communication: **USB** 

Network Connection:

TCP/IP via Ethernet

Dimensions (cm):

42w x 46d x 51h



he 6400 Automatic Isoperibol **Calorimeter** represents the next evolutionary step in the Parr automated calorimeters. Inclusive and compact, the instrument incorporates a closed loop cooling subsystem into the calorimeter. This subsystem uses a thermoelectric cooler assembly attached directly to a 1.0 L water tank which supplies cooling water to the calorimeter. An external nitrogen pressurized tank is used to supply rinse water to the calorimeter. This model features the fixed bomb and bucket design, allowing for automated bucket and jacket fill as well as automated vessel fill and rinse. The 6400 requires one minute of operator time per test, allowing a technician to operate up to four calorimeters simultaneously.

### **Quick Twist-Lock Bomb**

The 1138 Oxygen Bomb has been re-designed to withstand a higher magnitude of tests. The head is designed with an O-ring groove which is optimized to minimize frictional wear, in turn improving the lifetime of the seal. The bomb head is removable for fast sample loading using the patented Quick Twist-Lock vessel closure design.

### **Laboratory Requirements**

The calorimeter requires a source of 99.5 percent oxygen, a source of nitrogen or house air at 80 psi, and deionized water.



1138 Oxygen Combustion Bomb

## **Expanded System**

The 6420 Expanded System is a convenient way to order all of the components necessary for a complete system. The system includes the following parts:

- 6400 Calorimeter
- A1589DD Rinse Tank
- 1759 Printer
- Extra A1450DD Bomb Head Assembly
- 6038 Bomb Maintenance Kit
- 6409B, 1 Year Service Kit



6400 Automatic Isoperibol Calorimeter Ordering Guide		
Model No.	Voltage	Description
6400EA / EF	115 V / 230 V	6400 Calorimeter with 1138 Oxygen Bomb of Alloy 20
6400CLEA / EF	115 V / 230 V	6400 Calorimeter with 1138 Oxygen Bomb of Alloy G30
6420EA / EF	115 V / 230 V	6420 Expanded System with 1138 Oxygen Bomb of Alloy 20
6420CLEA / EF	115 V / 230 V	6420 Expanded System with 1138 Oxygen Bomb of Alloy G30